

L Number	Hits	Search Text	DB	Time stamp
1	18716	713/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 11:03
2	11538	713/\$.ccls. and @ad<20000914	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 11:04
3	144	(713/\$.ccls. and @ad<20000914) and (hash\$3 adj1 (data or information or document or string))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 11:06
4	224	(713/\$.ccls. and @ad<20000914) and (hash\$3 near1 (data or information or document or string))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 11:06
5	172	((713/\$.ccls. and @ad<20000914) and (hash\$3 near1 (data or information or document or string))) and (digital\$3 near1 (sign\$3 or signature))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 11:08
6	101	((((713/\$.ccls. and @ad<20000914) and (hash\$3 near1 (data or information or document or string))) and (digital\$3 near1 (sign\$3 or signature))) and ((generat\$3 or comput\$3 or calculat\$3) near1 key))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 11:10
7	61	(((((713/\$.ccls. and @ad<20000914) and (hash\$3 near1 (data or information or document or string))) and (digital\$3 near1 (sign\$3 or signature))) and ((generat\$3 or comput\$3 or calculat\$3) near1 key)) and (encrypt\$3 near3 hash\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 11:11
8	29	((((((713/\$.ccls. and @ad<20000914) and (hash\$3 near1 (data or information or document or string))) and (digital\$3 near1 (sign\$3 or signature))) and ((generat\$3 or comput\$3 or calculat\$3) near1 key)) and (encrypt\$3 near3 hash\$3)) and ((smart adj card) or IC or (integrat\$3 adj circuit))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 11:12
9	23	((((((((713/\$.ccls. and @ad<20000914) and (hash\$3 near1 (data or information or document or string))) and (digital\$3 near1 (sign\$3 or signature))) and ((generat\$3 or comput\$3 or calculat\$3) near1 key)) and (encrypt\$3 near3 hash\$3)) and ((smart adj card) or IC or (integrat\$3 adj circuit))) and ((access\$3 or select\$4 or selectively or choos\$3 or chosen) near2 (data or string or document or information)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 11:17
10	22	(((((((((713/\$.ccls. and @ad<20000914) and (hash\$3 near1 (data or information or document or string))) and (digital\$3 near1 (sign\$3 or signature))) and ((generat\$3 or comput\$3 or calculat\$3) near1 key)) and (encrypt\$3 near3 hash\$3)) and ((smart adj card) or IC or (integrat\$3 adj circuit))) and ((access\$3 or select\$4 or selectively or choos\$3 or chosen) near2 (data or string or document or information))) and ((plural\$3 or multiple or more or first or second or third) near2 (data or string or document or information)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 11:19

11	22	(((((((713/\$.ccls. and @ad<20000914) and (hash\$3 near1 (data or information or document or string))) and (digital\$3 near1 (sign\$3 or signature))) and ((generat\$3 or comput\$3 or calculat\$3) near1 key)) and (encrypt\$3 near3 hash\$3)) and ((smart adj card) or IC or (integrat\$3 adj circuit))) and ((access\$3 or select\$4 or selectively or choos\$3 or chosen) near2 (data or string or document or information))) and ((plural\$3 or multiple or more or first or second or third) near2 (data or string or document or information))) and (authentikat\$3 or validat\$3 or verify\$3 or verificat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 11:21
----	----	--	---	------------------

L Number	Hits	Search Text	DB	Time stamp
-	11443	380/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/05 15:01
-	8316	380/\$.ccls. and @ad<20000914	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/05 15:02
-	84	(380/\$.ccls. and @ad<20000914) and (hash\$3 same (digital\$4 near1 sign\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/05 15:21
-	4	((380/\$.ccls. and @ad<20000914) and (hash\$3 same (digital\$4 near1 sign\$3))) and ((plurality or multiple) with string)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/05 15:23
-	84	(380/\$.ccls. and @ad<20000914) and (hash\$3 same (digital\$4 near1 sign\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/05 15:22
-	310	(380/\$.ccls. and @ad<20000914) and (hash\$3 same (digital\$4 near1 signature))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/05 15:22
-	330	((380/\$.ccls. and @ad<20000914) and (hash\$3 same (digital\$4 near1 sign\$3))) or ((380/\$.ccls. and @ad<20000914) and (hash\$3 same (digital\$4 near1 signature)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/05 15:22
-	9	((((380/\$.ccls. and @ad<20000914) and (hash\$3 same (digital\$4 near1 sign\$3))) or ((380/\$.ccls. and @ad<20000914) and (hash\$3 same (digital\$4 near1 signature)))) and ((plurality or multiple) with string)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/05 15:23

L Number	Hits	Search Text	DB	Time stamp
15	687	380/\$.ccls. and (authenticat\$3 and signature and (digital\$3 near1 sign\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 17:38
16	226	(380/\$.ccls. and (authenticat\$3 and signature and (digital\$3 near1 sign\$3))) and (smart adj card)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 17:27
17	152	((380/\$.ccls. and (authenticat\$3 and signature and (digital\$3 near1 sign\$3))) and (smart adj card)) and @ad<20000914	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 17:27
18	32	((((380/\$.ccls. and (authenticat\$3 and signature and (digital\$3 near1 sign\$3))) and (smart adj card)) and @ad<20000914) and (hash\$3 same (digital\$4 near1 sign\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 17:37
19	72	((((380/\$.ccls. and (authenticat\$3 and signature and (digital\$3 near1 sign\$3))) and (smart adj card)) and @ad<20000914) and (hash\$3 same (digital\$4 near1 signature))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 17:28
20	77	(((((380/\$.ccls. and (authenticat\$3 and signature and (digital\$3 near1 sign\$3))) and (smart adj card)) and @ad<20000914) and (hash\$3 same (digital\$4 near1 sign\$4))) or (((380/\$.ccls. and (authenticat\$3 and signature and (digital\$3 near1 sign\$3))) and (smart adj card)) and @ad<20000914) and (hash\$3 same (digital\$4 near1 signature))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 17:28
21	2	(((((380/\$.ccls. and (authenticat\$3 and signature and (digital\$3 near1 sign\$3))) and (smart adj card)) and @ad<20000914) and (hash\$3 same (digital\$4 near1 sign\$4))) or (((380/\$.ccls. and (authenticat\$3 and signature and (digital\$3 near1 sign\$3))) and (smart adj card)) and @ad<20000914) and (hash\$3 same (digital\$4 near1 signature)))) and ((plurality or multiple) with string)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 17:29
22	4	((((380/\$.ccls. and (authenticat\$3 and signature and (digital\$3 near1 sign\$3))) and (smart adj card)) and @ad<20000914) and ((generat\$3 near2 key) with (digital\$3 near1 sign\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 17:39

L Number	Hits	Search Text	DB	Time stamp
12	2	(generat\$3 near1 key) with (bas\$3 or accord\$3) adj3 (digital\$3 adj (sign\$3 or signature))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 15:38
13	0	(generat\$3 near1 key) with (bas\$3 or accord\$3) adj3 (two adj1 data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 15:07
14	0	(generat\$3 near1 key) with ((bas\$3 or accord\$3) adj3 (two adj1 data))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 15:07
15	0	(generat\$3 near1 key) with ((bas\$3 or accord\$3) adj3 (two adj1 information))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 15:08
16	0	(generat\$3 near1 key) with ((bas\$3 or accord\$3) adj3 (two adj1 documents))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 15:08
17	8	(generat\$3 near1 key) with (two adj1 data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 15:13
18	7	((generat\$3 near1 key) with (two adj1 data)) and @ad<20000914	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 15:15
19	1048	(generat\$3 near1 key) with (concatenat\$3 or aggregat\$3 or combin\$3 or addition or add\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 15:19
20	670	((generat\$3 near1 key) with (concatenat\$3 or aggregat\$3 or combin\$3 or addition or add\$3)) and @ad<20000914	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 15:16
21	276	((((generat\$3 near1 key) with (concatenat\$3 or aggregat\$3 or combin\$3 or addition or add\$3)) and @ad<20000914) and ((concatenat\$3 or aggregat\$3 or combin\$3 or addition or add\$3) near1 (data or information or number or value or vector)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 15:20
22	61	(((((generat\$3 near1 key) with (concatenat\$3 or aggregat\$3 or combin\$3 or addition or add\$3)) and @ad<20000914) and ((concatenat\$3 or aggregat\$3 or combin\$3 or addition or add\$3) near1 (data or information or number or value or vector)))) and ((generat\$3 near1 key) near2 (concatenat\$3 or aggregat\$3 or combin\$3 or addition or add\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 15:37
23	3	(((((generat\$3 near1 key) with (concatenat\$3 or aggregat\$3 or combin\$3 or addition or add\$3)) and @ad<20000914) and ((concatenat\$3 or aggregat\$3 or combin\$3 or addition or add\$3) near1 (data or information or number or value or vector)))) and ((generat\$3 near1 key) near2 (concatenat\$3 or aggregat\$3 or combin\$3 or addition or add\$3))) and (generat\$3 near1 key) with (digital\$3 adj (sign\$3 or signature))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/07 15:39